

# INDEX.

- Abispa splendida*, 323; nest of, 324.  
*Abramidina*, 316.  
*Acanthastræa*, 119, 197.  
*Acanthocinus stillatus*, 254.  
*Acanthocœnia*, 114, 197.  
*Acanthocyathus*, 21, 25, 194, 203.  
*Acanthoderes*, 254.  
*Acanthopora*, 117, 197.  
*Acanthopterygii*, (ftnote) 308.  
*Acrochordonichthys*, 315.  
*Acrohelia*, 38, 40, 195.  
*Actinacis*, 185, 199.  
*Actinaræa*, 203.  
*Adelastræa*, 112, 197.  
*Ægosoma*, 208; sinicum, 208.  
African, Indian, and Malayan freshwater fish, their relationships compared by F. Day, 308, 317.  
*Agapanthia angusticollis*, 255.  
*Agapanthinæ*, 255.  
*Agaricia*, 161, 198.  
*Agaricioida*, 161, 198.  
*Agathelia*, 41, 42, 46, 203.  
*Agathiphyllia*, 105, 203.  
*Agelecyathus*, 34, 194, 203.  
*Ageneiosus mino*, 315.  
*Aglaophis*, 207, 235, 236; colobothœoides, 207, 235.  
*Akysis*, 315.  
*Aleyonaria*, 23.  
*Allotræus sphæroninus*, 206, 207.  
*Alveolites*, 191; parisiensis, 191.  
*Alveopora*, 6, 190, 199; spongiosa, 190; viridis, 190.  
*Ambassia*, 309, 312, 317; Barlovi, 311.  
*Ammodytes lancea*, burrowing-habits of, 270.  
*Amphelia rostrata*, 180.  
*Amphiastræa*, 106, 203.  
*Amphihelia*, 38, 39, 195.  
*Anabacia*, 165, 198.  
*Anabaciadæ*, 6, 165, 194, 198.  
*Anabas*, 312.  
*Anacropora*, 192, 199.  
*Anadromous fish*, 310.  
*Anaglyptus*, 207, 234; gibbosus, 234; mysticus, 235; niponensis, 207, 234.  
*Anatomy of Cyclops*, 332.  
*Animals living on tidal strand*, how affected by wave-currents, 265; those on firm foundation, 265; those on sand, 265, 267.  
*Anisocœnia*, 116, 197.  
*Anomocora*, 58, 203.  
*Antedon rosaceus*, wave-curr. on, 268.  
*Anthemiphyllia*, 28, 30, 194.  
*Anthozoa*, 1.  
*Antillastræa*, 104, 108, 193, 197.  
*Antillia*, 60, 195, 203.  
*Apalimna*, 241; liturata, 242.  
*Apheles gracilis*, 209.  
*Aphrastræa*, 98, 102, 196.  
*Aplocœnia*, 125, 197.  
*Aplocyathus*, 21, 22, 203.  
*Aplophyllia*, 80, 203.  
*Aplosmilia*, 77, 196.  
*Apodasyides*, 249.  
*Aporrhais pes-pelecani*, lives on sand-areas, 267.  
*Areacis*, 45, 46, 113, 197.  
*Ariina*, 315, 316.  
*Arius*, (ftnote) 309, 316.  
*Aromia*, 206, 226; ambrosiaca, 206, 226; moschata, 226.  
*Asemum*, 206; amurense, 206, 208.  
*Aspidiscus*, 96, 196.  
*Asterias aurantiaca*, wave-curr. on, 268.  
*Asteroseris*, 149, 152, 198.  
*Asterosmilia*, 61, 195.  
*Asterosmilioida*, 50, 61, 195.  
*Astræa*, 134.  
*Astræacæ cæspitosæ*, 75.○  
*Astræidæ*, 6, 8, 48, 50, 194, 195; agglomeratæ fissiparantes, 50, 97, 196; agglomeratæ gemmantes, 49, 50, 103, 195, 197; cæspitosæ, 48, 50, 75, 196; confluentes, 48, 50, 83, 196; gemmantes, 48, 50, 70; reptantes, 48, 50, 63, 64, 195; simplices, 49, 50, 195.  
*Astræinæ*, 48.  
*Astræomorpha*, 135, 198.  
*Astræomorphoidea*, 135, 198.  
*Astræopora*, 6, 185, 199.  
*Astrangia*, 63, 66, 195; Danæ, 67; palifera, 63.  
*Astrangioida*, 64, 66, 195.

- Astrocœnia*, 120, 197.  
*Astrocœnioida*, 104, 120, 197.  
*Astrohelia*, 38, 40, 195.  
*Astroides*, 181, 199.  
*Astropsammia*, 179, 199.  
*Astroria*, 89.  
*Aulopora* not a coral, 5.  
*Aulopsammia*, 203.  
 Australian Hymenoptera Aculeata, habits of, 318.  
*Axohelia*, 45, 46, 203.  
*Axopora*, 191.  
*Axosmia*, 50, 63, 195.
- Badis*, 312.  
*Bagariina*, 316, 317.  
*Bagrichthys*, 315.  
*Bagrina*, 315, 316.  
*Bagroides*, 315.  
*Balanophyllia*, 175, 178, 199; *regia*, 175.  
*Balanophyllioida*, 175, 199.  
*Baryhelia*, 37, 195.  
*Baryhelioida*, 37, 195.  
*Baryphyllia*, 100, 196.  
*Barysastræa*, 119, 197.  
*Barysastræoida*, 104, 119, 197.  
*Barysmilia*, 99, 196.  
*Bates*, H. W., on Longicorn Beetles of Japan, 205.  
*Bathangia*, 64, 66, 195.  
*Bathelia*, 41, 43, 195.  
*Bathyactis*, 149, 151, 198.  
*Bathycœnia*, 122, 197.  
*Bathycyathus*, 21, 25, 203; *elegans*, 59.  
*Battersbyia*, 5, 74, 196.  
 Beetles, Longicorn, of Japan, 205.  
*Belone cancella*, 316.  
*Bembicidæ*, Australian, 321.  
*Bembix tridentifer*, 321.  
*Betta*, 312.  
*Bistylia*, 18, 20, 194.  
*Blagrovia*, 10, 194.  
*Blanfordia*, 21, 22, 194, 203.  
*Blastocyathus*, 21, 25, 203.  
*Blastosmia*, 55, 56, 195, 203.  
*Blastotrochus*, 13, 14, 33, 194, 203.  
 Blue-throated Warbler in Norfolk, 328.  
*Brachyelytus*, 207, 234; *singularis*, 207, 234.  
*Brachycyathus*, 30, 194.  
*Brachymæandrina*, 90, 193, 196.  
*Brachyphyllia*, 104, 105, 197.  
*Brachytrochus*, 28, 194, 203; *Speyeri*, 29.  
*Branchiosteus*, 315.  
*Branchiura*, 333.  
*Brassyia*, 177, 178, 203.  
*Brevismilia*, 53, 203.
- Brook*, G., Develop. of Lesser Weever-Fish, 274; Develop. of *Motella mustela*, 298.  
*Buccinum undatum*, wave-curr. on, 268.  
*Bulla hydatis*, wave-curr. on, 268.  
 Bullfinch and Goldfinch, hybrid between, 331.
- Calamobius japonicus*, 255.  
*Calamophyllia*, 78, 196.  
*Calamophyllioida*, 76, 196.  
 Calice defined, 200.  
 Calicular axial fossa defined, 201.  
*Callapœcus*, 254; *guttatus*, 254.  
*Callichroma*, 206; *japonica*, 206, 227.  
*Callidium*, 228; *alni*, 228.  
*Calophyllum*, 32.  
*Calostylis*, 180, 199; *cribraria*, 180.  
 Camponotus attacked by *Formica rufonigra*, 326.  
 Cancer, 269.  
*Cardium*, burrowing of, 2, 226, 272.  
 — *aculeatum*, 266, 267, 273; *echinatum*, 272, var. from wave-curr., 272; *edule*, 273; *tuberculatum*, 266, 273.  
*Caryophyllia*, 17, 21, 24, 25, 33, 36, 194; *viola*, 17.  
*Catadromous* fish, 310.  
*Catopra*, 212.  
*Caulastræa*, 77, 196, 203.  
*Centrastræa*, 139, 198.  
*Cerambycidæ*, 206, 208.  
*Ceratophyllia*, 51, 53, 54, 195, 203.  
*Ceratotrochus*, 21, 26, 28, 194.  
*Chacina*, 315, 326.  
*Chama arcinella*, 292, var. *Bonanni*, 292; *Bonanni*, 292; *brevifrons*, 292.  
*Chanda*, distrib. of, 311; *baeculis*, 311; *bagoda*, 311; *nama*, 311; *lata*, 311; *nalua*, 311; *phula*, 311.  
*Chauna*, 314.  
*Cheilodipterus*, 313; *culius*, 313.  
*Chelidonium quadricolle*, 226.  
*Chloridolum*, 206, 226; *alcemene*, 226; *argentata*, 226; *nympha*, 226; *quadricolle*, 206, 226; *thaliodes*, 206, 226.  
*Chorisastræa*, 81, 125, 203; *gregaria*, 81.  
*Chromides*, 314, 316.  
*Circophyllia*, 59, 195.  
 Cirripedia, relation of, to Copepoda, 333.  
*Cladangia*, 69, 195.  
*Cladocora*, 63, 70, 195.  
*Cladocoracæ*, 70.  
*Cladocoroida*, 70, 195.  
*Cladophyllia*, 81, 196, 203.  
*Clariina*, 315, 316.  
*Clausastræa*, 139, 198.

- Clemactis*, 203.  
*Clytanthus*, 207, 228; (?) *acutivittis*, 207, 229; *gracilipes*, 207, 228; *in-scriptus*, 229; *latifasciatus*, 207, 228; *misellus*, 207, 228; *plebejus*, 228; *xenicus*, 207, 229.  
*Clytosaurus*, 229.  
*Clytosemia*, 253; *pulchra*, 254.  
*Clytus*, 207, 231; *arietis*, 230; *auripilis*, 207, 230; *caucasicus*, 234; *lignatorum*, 228; *melænus*, 207, 230; *rhamnus*, 230.  
*Cnemidium*, 148, 203.  
*Cobitidina*, 317.  
*Coccophyllum*, 130, 197.  
Cockle (*Cardium echinatum*), variation in spines of, 272.  
*Cœloria*, 89, 98, 203; *pachychila*, 89.  
*Cœlosmilia*, 50, 52, 195, 203; *fecunda*, 53.  
*Cœnangia*, 63, 67, 195, 203.  
*Cœnastrea*, 120, 203.  
*Cœnocyathus*, 33, 34, 194.  
*Cœnopsammia*, 178, 199, 203.  
*Cœnosmilia*, 58, 203.  
*Cœnostroma*, not a coral, 191.  
*Cœnotheca*, 203.  
*Colangia*, 68, 195.  
*Collines* or ridges defined, 202.  
*Colobotheca*, 235.  
*Colony* defined, 200.  
*Colpophyllia*, 91, 94, 196.  
*Columella* defined, 201.  
*Columnastræa*, 110, 197.  
Common wall or colonial theca or common plateau defined, 200.  
*Comophyllia*, 125, 203.  
*Comoseris*, 161, 162, 198; *irradians*, 162.  
*Confusastræa*, 203.  
*Conocyathus*, 18, 20, 194.  
*Conosmilia*, 59, 195.  
*Conotrochus*, 21, 26, 28, 203.  
*Convexastræa*, 112, 197.  
Copepoda, phylogeny of, 333; *Natantia*, 333; *Parasitica*, 333.  
—, relationship of, Prof. M. Hartog on, 332.  
Corallite defined, 200.  
Corallite wall or *theca* defined, 200.  
Corallum defined, 200.  
*Corenys*, 205, 206, 224, 225; *sericata*, 206, 225.  
*Corystes cassivelaunus*, how burrows in sand, 269; Gosse's opinion on, (foot-note) 269.  
*Coscinaræa*, 161, 164, 198.  
*Coscinaria*, 4.  
*Costæ* in corals defined, 201.  
Crabs, method of resisting wave-currents, 269.  
*Crateroseris*, 154, 155, 198.  
*Crispatotrochus*, 21, 26, 203.  
*Cryptabacia*, 144, 198.  
*Cryptabacioida*, 143, 198.  
*Cryptangia*, 64, 65, 195.  
*Cryptoceridæ*, Australian, 327.  
*Ctenopoma*, 312.  
*Cyathocœnia*, 120, 197.  
*Cyathohelia*, 41, 42, 195.  
*Cyathomorpha*, 104, 105.  
*Cyathophora*, 6, 112, 197.  
*Cyathophorida*, 103.  
*Cyathophoroida*, 112, 197.  
*Cyathophyllia*, 60, 203.  
*Cyathoserioida*, 154, 198.  
*Cyathoseris*, 154, 198.  
*Cyathosmilia*, 61, 62, 195.  
*Cyclobacia*, 174, 199, 203.  
*Cyclocyathus*, 28, 30, 194.  
*Cyclolites*, 4, 150, 166, 167, 199.  
*Cyclops*, anat. of, 332; *brevicornis*, 332; morphology of, 332.  
*Cyclopterus lumpus*, devel. gall-bladder in, 303.  
*Cycloserioida*, 149, 198.  
*Cycloseris*, 149, 198.  
*Cylocia*, 64, 195.  
*Cylicosmilia*, 58, 203.  
*Cylindilla*, 250; *grisescens*, 250.  
*Cynaria*, 59, 61, 203.  
*Cyphastræa*, 104, 107, 197, 203.  
*Cyprinidæ*, 316.  
*Cyprinina*, 316.  
*Cyprinodontidæ*, 316.  
*Cyrtophorus*, 234.  
*Cytherea dione*, 267.  
*D'Achiardia*, 101, 196.  
*Dactylosmilia*, 79, 196.  
Dana's Zoophytes of U.S. Explor. Exped., ref. to, 1.  
*Dasionina*, 316.  
*Dasmia*, 33, 194; *neocomiensis*, 33; *Sowerbyi*, 33.  
*Dasmidæ*, 8.  
*Dasmosmilia*, 58, 195; *variegata*, 59.  
*Dasyphyllia*, 78, 196.  
Davis, J. W., on *Heterolepidotus grandis*, 293.  
Day, Dr. F., on Relationship of Indian and African Freshwater Fish-Faunas, 308.  
*Deltocyathus*, 21, 23, 194.  
*Demonax*, 207, 229; *transilis*, 207, 229.  
*Dendracis*, 185, 199.  
*Dendraræa*, 203.  
*Dendrocora*, 79, 196.  
*Dendrogyra*, 86, 196.  
*Dendrohelia*, 38, 41, 195.  
*Dendrophyllia*, 177, 178, 199.

- Dendrophyllia, arborescent, branching,  
 and incrusting, 178.  
 Dendrophyllioida, 177, 199.  
 Dendropora, 41.  
 Dendrosmlia, 72, 196.  
 Dendrosmlioida, 70, 72, 196.  
 Desmocladia, 83, 85, 196.  
 Desmophyllum, 9, 11, 194; *crista galli*,  
 11; *ingens*, 11.  
 Deucalion, 236, 238.  
 Development of Lesser Weaver-Fish,  
 G. Brook on, 274.  
 — of *Motella mustela*; G. Brook on,  
 298.  
 Diafungia, 142, 198.  
 Diaseris, 149, 150, 198.  
 Diblasus, 37, 38, 195.  
 Dichocenia, 98, 99, 196.  
 Dichoræa, 190, 199.  
 Dictyaræa, 188, 199.  
 Dictyophyllia, 104, 131, 197.  
 Dihammus, 239.  
 Dimorpharæa, 170, 199.  
 Dimorphastræa, 140, 198.  
 Dimorphocenia, 140, 198.  
 Dimorphophyllia, 91, 93, 196.  
 Dimorphoseris, 170, 203.  
 Diplaræa, 169, 199.  
 Diplocenia, 114, 197, 203.  
 Diploceniastrea, 114, 197.  
 Diploctenium, 50, 53, 195.  
 Diplohelia, 39, 46, 203.  
 Diploptera, Australian, 321.  
 Diploxia, 87, 196.  
 Diplotheastræa, 115, 193, 197.  
 Disaræa, 169, 199.  
 Discocyathoida, 28, 194.  
 Discocyathus, 28.  
 Discopsammia, 174, 199, 203.  
 Discotrochus, 28, 30, 194.  
 Distenia japonica, 209; *columbina*,  
 209.  
 Dolophrades, 207; *terrenus*, 207, 238.  
 Donacosmlia, 73, 196.  
 Dorcadida, 236, 237, 238.  
 Doreadioninæ, 237, 238.  
 Dryopea, 254; *clytina*, 254.  
 Dules, (fnote) 309.  
 Duncan, Prof. P. M., Revision of Families  
 and Genera of Sclerodermic Zo-  
 antharia or Madreporaria, 1.  
 Duncania, 27, 31, 32, 194.  
 Duncocyathus, 21, 25.  
  
 Echinoderms, action wave-currents on,  
 268.  
 Echinophyllia, 156, 159, 203.  
 Echinopora, 117, 197; *aspera*, 117,  
 159; *hirsutissima*, 117; *horrida*, 117.  
 Echinoporidæ, 8.  
 Echinoporoida, 103, 116, 197.  
 Echthistatus, 207; *binodosus*, 207, 237;  
*furciferus*, 207, 237; *gibber*, 237;  
*grossus*, 207, 237.  
 Ecmesus, 150, 203.  
 Ectætomma diminuta, 327.  
 Edwards and Haimé's Hist. Nat. Coral,  
 ref. to, 1.  
 Eggs of codfish, 305.  
 — cunner (*Ctenolabrus cæruleus*),  
 305.  
 — pelagic fish, their time of hatching  
 in; —  
     *Fierasfer acus*, 305.  
     *Gadidæ*, 298.  
     *Julis vulgaris*, 305.  
     *Motella mustela*, 298, 305.  
     *Pseudorhombus oblongus*, 305.  
     *Scorpena porcus*, 305.  
     — *scrofula*, 305.  
     Spanish mackerel, 305.  
     *Trachinus vipera*, 274, 305.  
 Elasmocœnia, 116, 197.  
 Elasmocœnioida, 103, 114, 197.  
 Eleotris, 313, 314; *fusca*, 313.  
 Ellipsocœnia, 100, 203.  
 Ellipsosmlia, 51, 204.  
 Elliptoseris, 149, 198.  
 Elysastræa, 124, 197.  
 Enallohelia, 38, 39, 195.  
 Encyclops, 206; *olivaceus*, 206, 211.  
 Endopachys, 176, 199.  
 Endopsammia, 181, 199.  
 Endotheca or dissepiments, 202.  
 Epiglenea, 259; *comes*, 259.  
 Episeris, 153, 154, 198; *macrostoma*,  
 154.  
 Epismilia, 50, 52, 195, 203.  
 Epistreptophyllum, 133, 198.  
 Epithea of corals defined, 202.  
 Epitrochus, 21, 26, 204.  
 Erethistes, 316.  
 Eroschema, 225.  
 Erysamena, 251; *saperdina*, 251;  
*acuta*, 252; *spinidorsis*, 252.  
 Estolides, 248.  
 Etroplus, 314; *canarensis*, 314; *macu-  
 latus*, 314.  
 Eudioplopida *Stenopleura* and *Bathy-  
 pleura*, 333.  
 Eugnathus, 297.  
 Eugyra, 87, 196.  
 Eugyroida, 83, 85, 196.  
 Euhelia, 38, 40, 195.  
 Eumecocera, 258.  
 Eumenes *Latreillii*, 318; habits & nests  
 of, 321.  
 Euphyllia, 83, 84, 196.  
 Euphylliacæ *cæspitosæ*, 75.  
 Euphyllioida, 83, 196.

- Eupogonius tenuicornis*, 249, 250.  
*Eupsammia*, 172, 176, 199.  
*Eupsammidæ*, 6, 172, 194, 199.  
*Euryptera*, 225.  
*Eusmilia*, 77, 196; *alticostata*, 77.  
*Eusmilinæ*, 48.  
*Eustrangalis*, 206, 221; *distenioides*, 206, 222.  
*Eutetrappa*, 256; *chrysargyrea*, 256, 257; *metallescens*, 256; *variicornis*, 256.  
 Exotheca of corals defined, 202.  
 Families and Genera of Sclerodermic Zoantharia, Prof. Duncan's Revis., 1.  
 Fauna of shallow seas, influence of wave-currents on, 262.  
*Favia*, 98, 100, 196.  
*Favioidea*, 98, 196.  
*Favoidea*, 100, 196.  
*Favositidæ*, 5.  
*Favositipora*, 6, 190, 199, 203.  
*Feddenia*, 51, 54, 195.  
*Fiscicella*, 100, 204.  
 Fish-faunas of India and Africa, F. Day on, 308.  
 Fishes, how elude wave-currents, 270.  
 Fissiparity of corals defined, 202.  
*Flabelloidea*, 13, 194.  
*Flabellum*, 13, 194; *rubrum*, 14.  
 Flat fishes avoid wave-currents, 270.  
*Formica rufonigra*, habits of, 326.  
 — *smaragdina*, habits of, 327.  
*Formicidæ*, Australian, 318.  
 Fossil fish from Lias, 293.  
*Fossores*, Australian, 318.  
 Freshwater Fish-faunas of India and Africa, F. Day on, 308.  
 Freshwater fish of Tibet, 317.  
 Freshwater fish, what is, Dr. Day on, 309.  
*Fromentelia*, 83.  
*Fromentel's Foss.* Coral, ref. to, 1.  
*Fungia*, 141, 198.  
*Fungiacyathus*, 28, 31, 194.  
*Fungixæ*, *lacerantes*, *lobiferæ*, and *subintegrxæ*, 142.  
*Fungidæ*, Dana's and Moseley's figs. of soft parts, ref. to, 4.  
*Fungidæ*, 6, 8, 141, 194, 198.  
*Funginæ*, 141.  
*Fungioidea*, 141, 198.  
*Galaxea*, 103, 118, 197.  
*Gaurotos*, 206; *doris*, 206, 212; *ussuriensis*, 212, 213.  
 Gemmation of corals defined, 202.  
*Gemmulatrochus*, 34, 194.  
*Genabacia*, 165, 198.  
*Glenea*, 256; *colenda*, 258.  
*Glyphophyllia*, 83, 84, 196.  
*Gobiudæ*, 313, 314, 317.  
*Gobius*, 309, 313, 314; *giuris*, 309, 313; *kokus*, 313; *kurhah*, 313.  
 Goes, 240.  
 Goldfinch and Bullfinch, hybrid between, 331.  
*Goniastræa*, 98, 102, 196.  
*Goniastræoidea*, 102, 196.  
*Goniocora*, 71, 195.  
*Goniocoroidea*, 70, 71, 195.  
*Goniopora*, 189, 199.  
*Gonioseris*, 154, 198.  
*Grammoptera*, 206; *ægrota*, 206, 214; *amentata*, 206, 215; *chalybeella*, 206, 216; *debilis*, 314; *gibbicollis*, 214, 215; *grallatrix*, 206, 214; *ruficornis*, 216; *signifera*, 206, 215, var. *mutata*, 215.  
*Graphidessa*, 248; *venata*, 248.  
 Gunn, T. E., Ornithological Notes, 328.  
 Günther's, Dr., Study of Fishes, Dr. Day's criticisms on, 308.  
*Guynia*, 27, 31, 32.  
*Gyroseris*, 147, 198.  
*Gyrosmilina*, 91, 95, 204.  
 Habits of Australian Hymenoptera *Aculeata*, H. L. Roth on, 318.  
 — of Longicorn Beetles of Japan, 205.  
*Haldonia*, 121, 197.  
*Haloglossa*, 142, 198, 203.  
*Halomitra*, 144, 198.  
*Haloseris*, 156, 157, 198, 203.  
 Hanley, S., on new var. of *Chama* allied to *C. arcinella*, 292.  
*Haplaræa*, 166, 167, 199, 203.  
*Haplochilus*, 316.  
*Haplohammus*, 239; *degener*, 240; *fraudator*, 240; *fulvicornis*, 240; *luxuriosus*, 240; *sejunctus*, 240.  
*Haplohelia*, 41, 44, 195.  
*Haplophyllia*, 31, 32, 194.  
*Haplophyllioidea*, 31, 194.  
 Hara, 316.  
 Hartog, Prof. M., on Morphology of Cyclops and relations of Copepoda, 332.  
*Heliastrea*, 104, 197.  
*Helicœnia*, 40, 197, 203.  
*Hemicyathus*, 150, 204.  
*Hermit-Crabs*, wave-curr. on, 269.  
*Herpolitha*, 142, 145, 198.  
*Herpolithoidea*, 145, 198.  
*Heterocœnia*, 116, 197.  
*Heterocyathus*, 21, 24, 194.  
*Heterogyna*, Australian, 326.  
*Heterogyra*, 126, 127, 197; *lobata*, 126.  
*Heterolepidotus*, 293, 296; *grandis*,

- foss. fish from Lias, J. W. Davis on, 293; *latus*, 293, 297; *sauroides*, 294, 297.
- Heterophyllia, 74, 196.
- Heteropsammia, 175, 176, 199.
- Hexasmilia, 75, 196.
- Hippopsinæ, 255.
- Holaræa, 191.
- Holocœnia, 129, 197.
- Holocystis, 130, 197.
- Holostoma, 312.
- Homaloptera, 317.
- Homophyllia, 60, 61, 204.
- Hoplangua, 67, 204.
- Hunt, A. R., on Influence of Wave-Currents on Fauna inhabiting Shallow Seas, 262.
- Hybrid Goldfinch and Bullfinch, 331.
- Hydnophora, 96, 97, 196.
- Hydnophorabacia, 161, 164, 198.
- Hymenophyllia, 80, 196.
- Hymenoptera Aculeata of Australia, H. L. Roth on habits of, 318.
- Hypostomatina, 316, 317.
- Indian freshwater fish, F. Day on, 308, 317.
- Influence of Wave-Currents on Fauna inhabiting Shallow Seas, A. R. Hunt on, 262.
- Introd. to Study of Fishes by Dr. Günther, remarks of Dr. Day on, 308.
- Iole, 261.
- Isastræa, 123, 197.
- Isastræoida, 104, 123, 197.
- Isocora, 204.
- Isophyllia, 91, 92, 204.
- Isopora, 184, 203, 199.
- Japan, Longicorn Beetles of, 205.
- Javania, 9, 11, 194, 203.
- Judolia, 218; *cometes*, 218.
- King Crab, habits of, 271.
- Kirby's, W. F., Notes on Mr. Roth's paper on Australian Hymenoptera, 318.
- Koilocœnia, 115, 193, 197.
- Koilotrochus, 26, 204.
- Koninckia, 190, 204.
- Labyrinthici, 312, 316.
- Lamellastræa, 102, 196.
- Lamiidæ, 207, 236.
- Lamiinæ, 237, 238.
- Larridæ, Australian, 321.
- Lates, 309, 310, 312, 316; *calcarifer*, (*ftnote*) 309.
- Latimæandra, 125, 197; *circumscripta*, 126; *dædalæa*, 126; *discrepans*, 126; *dimorpha*, 126; *Flemingi*, 127; *mar-chelloides*, 126.
- Latimæandraræa, 170, 199.
- Latimæandroida, 104, 125, 197.
- Latiphyllia, 91, 93, 196.
- Latusastræa, 69, 195.
- Lemula, 206, 211; *decipiens*, 206, 212.
- Lepidogaster bimaculatus, avoids wave-currents, 270; and *ftnote*, 270.
- Lepidophyllia, 125, 197.
- Lepidosteus, 297.
- Lepidotus, 296.
- Lepromoris, 238.
- Leptastræa, 103, 119, 197.
- Leptaxis, 195, 203.
- Leptocyathus, 21, 23, 194.
- Leptomussa, 51, 53, 54, 195, 203.
- Leptopenus, 174, 199.
- Leptophyllia, 147, 166, 199.
- Leptophylloida, 166, 199.
- Leptopsammia, 181, 199.
- Leptopsammioida, 180, 199.
- Leptorhabdium, 211.
- Leptoria, 90, 98, 196.
- Leptosaris, 156, 159, 198.
- Leptoxenus, 205, 206; *ibidiiformis*, 206, 209.
- Leptura, 206, 221; *adumbrata*, 206, 220; *arcuata*, 219; *cometes*, 206, 218; *cordifera*, 218; *cyanea*, 217, 218; *excavata*, 206, 217; *granulata*, 206, 217; *livida*, 216; *mimica*, 206, 219; *misella*, 206, 216; *nymphula*, 206, 220; *obliterata*, 218, 220; *pyrrha*, 206, 216; *proxima*, 217; *quadrifasciata*, 219; *rubra*, 217; *subtilis*, 206, 219; *succedanea*, 206, 217; *tesse-rula*, 216; *thoracica*, 206, 220; *varicornis*, 206, 217; *vicaria*, 206, 218.
- Lepturis, 224, 225.
- Lesser Weaver-Fish, G. Brook on Development of, 274.
- Lewis, G., Longicorn Beetles of Japan, coll. by, 205.
- Limulus, habits of, 271.
- Liocassis, 315.
- Lithactinia, 146, 198.
- Litharæa, 189, 199.
- Lithodendron, 53; *nanum*, 53.
- Lithophyllia, 59, 61, 195.
- Lithophylliacées cespitæuses, 75.
- Lithophylloida, 50, 57, 195.
- Little Bittern in Hertfordshire, 330.
- Lobactis, 204.
- Lobopsammia, 181, 182, 199.
- Longicorn Beetles of Japan, H. W. Bates, on, 205; list of sp. of, 206.
- Lophohelia, 6, 38, 195.

- Lophohelioida, 38, 195.  
 Lophoseridæ, 6, 146, 147, 194, 198;  
   Aggregatæ, 147, 154; Simplices,  
   147.  
 Lophoserinæ, 146.  
 Lophoseris, 156, 157, 198.  
 Lophosmia, 55, 195.  
 Luciocephalidæ, 312, 316.  
 Luciocephalus, 312.  
  
 Macrones, 315.  
 Macropus, 312.  
 Madracis, 45, 195.  
 Madrepora, 6, 183, 199.  
 Madreporaria Aporosa, 3, 6, 7, 9, 194.  
 — Fungida, 6, 132, 194.  
 — Perforata, 3, 6, 171, 172, 194, 198,  
   199.  
 — Rugosa, 6.  
 — Tabulata, 5.  
 — Tubulosa, 4.  
 Madreporaria (*M. Rugosa* excepted),  
   Revis. Fams. and Gen. of, 1.  
 Madreporidæ, 6, 172, 183, 194, 199.  
 Mæandrastræa, 90, 98, 196.  
 Mæandrina, 88, 89, 98, 196.  
 Mæandroseris, 161.  
 Malayan gen. and sp. freshwater fish,  
   317.  
 Mallambyx japonicus, 209.  
 Manicina, 82, 88, 196.  
 Masked Crab, 269.  
 Mastacembelidæ, 314, 316.  
 Mastacembelus, 314; fasciatus, 314;  
   Guentheri, 314.  
 Meandræa, 170, 204.  
 Meandroseris, 170.  
 Mecynippus, 240; pubicornis, 240, 241.  
 Megasemum quadricostulatum, 206,  
   208.  
 Meranoplus dimidiatus, 327.  
 Merulina, 104, 128, 197.  
 Merulinacæ, 8.  
 Mesoa cribrata, 245; gracilior, 244;  
   hirsuta, 244; japonica, 244; nebu-  
   losa, 244; pœcila, 245; senilis, 245.  
 Mesomorpha, 136, 198.  
 Mesosella, 246; gracilior, 246; simiola,  
   246.  
 Metastræa, 204.  
 Miccolamia, 252; cleroides, 253; gla-  
   bricula, 253; verrucosa, 253.  
 Michelinia, 191.  
 Micrabaccia, 143, 198.  
 Microphyllia, 125, 204.  
 Micropyle, egg of *Trachinus vipera*, 276.  
 Microrhabdium, 211.  
 Microseris, 149, 152, 198.  
 Microsolena, 4, 168, 169, 199.  
 Microsolenoida, 166, 168, 199.  
  
 Microtrochus, 9, 204.  
 Milleporidæ, 5.  
 Minard, M., on wave-currents, 264.  
 Monohammus fraudatorus, 237; grandis,  
   238; luxuriosus, 238; nitens, 238;  
   pardalinus, 239; sutorus, 238.  
 Monticulastræa, 96, 97, 196.  
 Monticuloida, 83, 96, 196.  
 Montipora, 191, 199.  
 Montiporoida, 191, 199.  
 Montlivaltia, 51, 53, 149, 151, 195; dis-  
   cus, 53; gregaria, 81; turbata, 54.  
 Montlivaltia, 54.  
 Morphology of Cyclops, and Relations  
   of Copepoda, Prof. M. Hartog on,  
   332.  
 Moseleya, 104, 133, 197.  
 Motella argentea, 304.  
 — mustela, Cornish's account of nest  
   of, 298; develop. of, 298; eggs of, 298.  
 Mugil cascasia, 309, 314; corsula, 314;  
   Hamiltoni, 314.  
 Mullet of India inhab. freshwater, 314.  
 Murex, act. of wave-curr. on, 268.  
 Mussa, 49, 82, 196.  
 Mussæ cymosæ, and gyrosæ, 83.  
 Mussaoida, 82, 196.  
 Mya truncata, 267; avoids wave-cur-  
   rents, 267.  
 Mycedium, 156, 157, 158; Okeni, 158,  
   198.  
 Mycetæræa, 166, 171, 199.  
 Mycetophyllia, 91, 93, 196.  
  
 Nandina, 312, 316.  
 Nandus, 312.  
 Nanohammus, 243; rufescens, 244.  
 Napopora, 183, 199.  
 Narcissastræa, 121, 197.  
 Nassa reticulata, wave-curr. on, 268.  
 Natica catena, 268.  
 Nectydalis, 206; ebenina, 206, 225;  
   major, 325; pennata, 206, 226;  
   solida, 225.  
 Neocerambyx, 206; Batesi, 206, 208;  
   chrysothrix, 208; Raddei, 209.  
 Neohelia, 37, 195.  
 Nest of Motella, Cornish's acc. of, 298.  
 Norfolk, Blue-throated Warbler in, 328.  
 Notes on Brit. Ornithology, 328.  
 Notocyathus, 17, 204.  
 Notopteridæ, 316.  
 Nototrochus, 17, 193.  
 Nupserha, 261.  
  
 Oberea hebescens, 260; marginella, 260;  
   niponensis, 260; sericans, 260; sylvia,  
   260; vittata, 260.  
 Oculina, 41, 46 195  
 Oculinacæ, 36.

- Oculinidæ, 5, 6, 8, 35, 36, 194, 195.  
 Oculinoïda, 41, 195.  
 Odontocyathus, 23, 194.  
 Odynerus bicolor, 325.  
 Oecophylla virescens, 326, attack Curculio, 326.  
 Olenocamptus, 243.  
 Olyra, 315.  
 Omphalodera, 206; flaviventris, 212; Puziloi, 206, 212.  
 Omphalophyllia, 148, 198.  
 Onchotrochus, 9, 10, 194.  
 On new var. of Chama, allied to C. arcinella, L., by S. Hanley, 292.  
 Onus, young of, 304.  
 Ophiocephalidæ, 314.  
 Ophiocephalus, 314, 316; africanus, 314; obscurus, 314.  
 Ophistomis, 223.  
 Oppelismilia, 51, 53, 54, 195, 203.  
 Orbicelloïda, 103, 104, 196.  
 Ornithological notes by T. E. Gunn, 328.  
 Oroseris, 161, 163, 198, 203.  
 Orsidis, 240; oppositus, (ftnote) 240; sobrius, (ftnote) 240.  
 Osler, Mr., as to burrowing of Bivalves, 266; of Spatangus, 268.  
 Oosphromenus, 312.  
 Ostedes, 253.  
 Osteoglossidæ, 316.  
 Ostracoda, relation of, to Copepoda, 333.  
 Oulophyllia, 204.  
 Ovalastræa, 100, 204.  
 Oxypora, 158, 204.  
 Oxysmilia, 55, 204.  
 Pachydissus japonicus, 209.  
 Pachygyra, 87, 196.  
 Pachypsammia, 179, 199.  
 Pachyseris, 161, 162, 198.  
 Pachyta, 206; erebia, 206, 212; quadrimaculata, 212.  
 Pagurus, 269.  
 Palæacis, 185, 199.  
 Palæastræoïda, 70, 74, 196.  
 Palæoseris, 148, 198, 203.  
 Pali of coral defined, 201.  
 Palimna, 241.  
 Paraclytus, 207, 234; excultus, 207, 234.  
 Paracyathus, 21, 24, 194.  
 Paraglenia chrysochloris, 256; eximia, 257; theaphia, 257.  
 Paramilia, 53, 58, 195; fecunda, 58; Lymani, 58; variegata, 58.  
 Parastræa, 100, 204.  
 Parmena, 236.  
 Paterocyathus, 28, 204.  
 Patallophyllia, 61, 62, 195.  
 Pavonia, 156, 157, 204.  
 Pavonioida, 156, 198.  
 Pectinia, 86, 196.  
 Pelopæus, habits and nests of, 318, 319; lætus, 318, parasites of, 320.  
 Pentacenia, 113, 197.  
 Pentacenioida, 103, 113, 197.  
 Pentalophora, 45, 46, 204.  
 Peplosmilia, 55, 56, 195.  
 Percina, 310, 312, 316, 317.  
 Periophthalmus, 313, 314; Schlosseri, 313.  
 Philine aperta, act. of wave-curr. on, 268.  
 Phlyctidola, 907, 236; metallica, 207, 236.  
 Phragmatoseris, 148, 198.  
 Phyllangia, 67, 195, 203.  
 Phyllastræa, 101, 156, 158, 196, 198.  
 Phyllocœnia, 111, 115, 197; decipiens, 115.  
 Phyllocœnioida, 103, 111, 197.  
 Phylloides, 13, 204.  
 Phyllogyra, 91, 92, 196, 204.  
 Phyllohelix, 46.  
 Phyllopora, 45, 46, 204.  
 Phylloseris, 156, 160, 198, 203; rugosa, 160.  
 Phyllosmilia, 55, 204.  
 Phymastræa, 104, 106, 197.  
 Phymatodes, 206; albicinctus, 228; Maaki, 206, 228.  
 Physogyra, 91, 95, 196.  
 Physophyllia, 118, 193, 197.  
 Phytæcia, 261.  
 Phytogyra, 91, 92, 96, 196.  
 Pimelodus arius, 315; gagora, 315; jatius, 315; nenga, 315; sagor, 315; soua, 315.  
 Pironastræa, 139, 198.  
 Pison spinole, 321; perplexus, 321.  
 Placastræa, 124, 197.  
 Placocœnia, 108, 197.  
 Placocœnioida, 103, 108, 197.  
 Placocyathus, 17.  
 Placohelia, 46, 204.  
 Placophora, 108, 197.  
 Placophyllia, 73, 196.  
 Placopsammia, 179, 199.  
 Placoseris, 149, 198.  
 Placosmilia, 55, 195.  
 Placosmilioida, 50, 54, 195.  
 Placotrochoïda, 16, 194.  
 Plagionotus, 206; pulcher, 206, 228.  
 Platycyathus, 21, 22, 24, 204.  
 Platygyra, 89, 204.  
 Platyhelix, 46, 204.  
 Platytrachus, 18, 194.  
 Plerastræa, 129, 197.  
 Plerastræoïda, 104, 1'28, 197.



- Plerogyra*, 91, 95, 196.  
*Plesiastræa*, 104, 107, 197; *distans*, 108;  
*globosa*, 108; *mirabilis*, 129; *ranea*,  
 108; *Savignyi*, 129; *spongiformis*,  
 108.  
*Plesiofungidæ*, 6, 133, 194, 198.  
*Plesioporitidæ*, 6, 165, 194, 198.  
*Plesioseris*, 161, 198; *australis*, 162.  
*Plesiosmilia*, 55, 195, 203.  
*Pleuractis*, 204.  
*Pleurocœnia*, 69, 204.  
*Pleurocora*, 70, 71, 195.  
*Pleurocyathus*, 18, 19, 21, 26, 204.  
*Pleurodictyum*, 191.  
*Pleurophyllia*, 79, 196.  
*Pleurosmilia*, 55, 56, 195.  
*Pleurostylina*, 109, 197.  
*Plocophyllia*, 83, 84, 204.  
*Plotosus anguillarum*, (ftnote) 309.  
*Pocillopora*, 5, 46, 47, 195.  
*Pocilloporidæ*, 6, 46, 194, 195.  
*Podabacia*, 144, 204.  
*Podobranchiata*, 333.  
*Podoserioida*, 153, 198.  
*Podoseris*, 153, 198.  
*Pogonocherus granulatus*, 262.  
 Points in develop. of *Motella mustela*,  
 G. Brook on, 298.  
*Polimeta*, 251, 254.  
*Polistes Bernardii*, 325.  
*Polyacanthus*, 312.  
*Polyaræa*, 134, 198.  
*Polycœlia*, 32.  
*Polycyathus*, 34, 194.  
*Polyphyllia*, 145, 198.  
*Polyphylliseris*, 168, 199.  
*Poneridæ*, Australian, 327.  
*Porites*, 46, 186, 187, 199; *antiqua*, 188;  
*conformis*, 188; *monticulosa*, 188;  
*panicea*, 187.  
*Poritidæ*, 6, 172, 186, 194, 199.  
*Poritinoïda*, 186, 199.  
*Portunas*, 269.  
 Position of Copepoda, Prof. M. Hartog  
 on, 333.  
*Pourtalosmilia*, 72, 193, 196.  
*Praolia*, 261; *citrinipes*, 261.  
*Praonetha leiopodina*, 246.  
*Pratzia*, 129, 160, 193, 198; *mirabilis*,  
 129.  
 Preliminary Account, develop. of Lesser  
 Weaver-Fish (*Trachinus vipera*), by  
 G. Brook, 274.  
*Prionastræa*, 123, 197.  
*Prionidæ*, 206, 207.  
*Prisciturben*, 186, 199.  
*Pristolepis*, 312; *malabaricus*, 312;  
*marginatus*, 312.  
*Prohelia*, 44, 195.  
*Prohelioida*, 44, 195.  
*Protaræa*, 189, 199.  
*Protophyllopoda*, 333.  
*Protoseris*, 156, 159, 198.  
*Psammobia tellinella*, burrowing of, 266.  
*Psammocœnia*, 110, 197.  
*Psammocora*, 169, 192, 198.  
*Psammohelia*, 45, 46, 204.  
*Psammophora*, 113, 197.  
*Psammoserioida*, 152, 198.  
*Psammoseris*, 152, 198.  
*Psammosmilia*, 51, 204.  
*Psephactus*, 206, 207; *remiger*, 206,  
 207.  
*Pseudoastræa*, 139, 198.  
*Pseudobagrus*, 315.  
*Pseudocalamobius*, 255.  
*Psilorhabdium*, 211.  
*Pteroceras*, act. of wave-curr. on, 168.  
*Purpuricenens*, 236; *nigrohirtus*, 236;  
*spectabilis*, 236.  
*Pyrgia* not a coral, 4.  
*Pyrocalymma*, 224, 225.  
*Pyrotrichus*, 224.  
*Pyrrhona*, 205, 206, 224; *laticolor*,  
 206, 224.  
*Rasborina*, 316.  
 Relations of Copepoda and Morphol.  
 of Cyclops, Prof. M. Hartog on, 332.  
 Relationship of Indian and African  
 Freshwater Fish-Faunas, Dr. F. Day  
 on, 308.  
*Reussastræa*, 140, 198.  
*Reussia*, 45, 46, 204.  
 Revision of Families and Genera of  
 Sclerodermic Zoantharia or Madre-  
 poraria, by Prof. P. M. Duncan, 1.  
*Rhabdocora*, 71, 195.  
*Rhabdophyllia*, 80, 196.  
*Rhabdopora*, 43.  
*Rhagium*, 206; *indagator*, 209; *inqui-*  
*sitor*, 206, 209, var. *japonicum*, 206,  
 209.  
*Rhamnusium*, 210.  
*Rhinoglanina*, 316.  
*Rhipidogyra*, 83, 85, 196.  
*Rhizangia*, 64, 65, 195.  
*Rhizangioida*, 64, 195.  
*Rhizocephala*, relation of, to Copepoda,  
 333.  
*Rhizopsammia*, 181, 182, 199.  
*Rhizotrochus*, 13, 15, 194, 203; *affinis*,  
 14; *fragilis*, 15; *tulipa*, 15; *typus*, 14.  
*Rhodaræa*, 188, 199.  
*Rhodopis integripennis*, 243; *Lewisii*,  
 243.  
*Rhodopsammia*, 181, 182, 199.  
*Rhopalopus*, 206; *signaticollis*, 206,  
 227.  
*Rhopaloscelidus*, 251.

- Rhopaloscelis, 254; bifasciatus, 251; maculatus, 251; unifasciatus, 250.  
 Rhynchium mirabile, 325; Rothi, n. sp., and habits of, 324; superbum, 325.  
 Rhynchobdella, 314; sinensis, 314.  
 Rhynchobdellidæ, 314.  
 Rita, 315.  
 Rock-Crabs, wave-curr. on, 269.  
 Rosalia, 206; Batesi, 206, 227.  
 Roth, H. L., on habits of Australian Hymenoptera, 318.  
 Sabinothrochus, 28, 29, 194.  
 Sandalolitha, 144, 198.  
 Saperda carinata, 256; decempunctata, 255; japonica, 260; metallescens, 256; octomaculata, 255; punctata, 236; sanguinolenta, 256; sulphurata, 255; tetrasticta, 255; tremula, 256.  
 Sarmyds, 208.  
 Scapophyllia, 91, 95, 196.  
 Schizocyathus, 9, 12, 194; fissilis, 12.  
 Sciæna, 310, 317; coitor, 310, 312; diacanthus, (fnote) 312.  
 Sciænidæ, 312.  
 Sclerodermic Zoantharia or Madreporaria, Revis. Genera and Fams. of, by Prof. P. M. Duncan, 1.  
 Sclerohelia, 41, 43, 195.  
 Scolangia, 64, 65, 195.  
 Scolymia, 59, 204.  
 Scombrocidæ, 316.  
 Scotinauges diphysis, 244.  
 Semanotus, 206, 227; chlorizans, 206, 227.  
 Semiphotina, 317.  
 Septastræa, 98, 103, 196.  
 Septum of coral defined, 200.  
 Seriatopora, 47, 195; removed from Tabulata, 5.  
 Seriatoporidae, 5.  
 Serixia, 261.  
 Sicydium, 313; micrurum, 313; xanthurum, 313.  
 Siderastræa, 4, 134, 198.  
 Siluridæ, 308, 315.  
 Silurina, 315, 316.  
 Singalia rufescens, 258; spinipennis, 258.  
 Smilophyllia, 60, 204.  
 Smilotrochoidea, 194.  
 Smilotrochus, 3, 10, 194; vacuus, 26.  
 Solenastræa, 104, 107, 197.  
 Solenosmilia, 78, 196.  
 Somphophora, 190, 199.  
 Sphegidae, Australian, 318.  
 Sphenophyllia, 55, 57, 195.  
 Sphenopoterium, 185, 204.  
 Sphenotrochus, 16.  
 Sphex ephippium, 321.  
 Spinellia, 101, 196.  
 Spirobranchus, 312.  
 Stelloria, 90, 196.  
 Stenocyathus, 21, 25, 194.  
 Stenogyra, 83, 204.  
 Stenosmilia, 99, 196.  
 Stenostola anomala, 259; argyrosticta, 258; nigripes, 258.  
 Stenura, 221, 222; adumbrata, 220; mimica, 219; nymphula, 220; subtilis, 219; thoracica, 220; vicaria, 219.  
 Stenuræ, 221.  
 Stenygrinum quadrinotatum, 209.  
 Stephanaria, 160, 198.  
 Stephanarioidea, 160.  
 Stephanastræa, 121, 204.  
 Stephanocœnia, 121, 197.  
 Stephanocyathus, 21, 22, 203.  
 Stephanophyllia, 172, 173, 199.  
 Stephanophylloidea, 173, 199.  
 Stephanoseris, 152, 153, 177, 198, 204.  
 Stephanosmilia, 61, 62, 195, 204.  
 Stephanotrochus, 28, 29, 194.  
 Stereoplasm defined, 202.  
 Stereopsammia, 179, 199.  
 Stibastræa, 91, 93, 196.  
 Stiboria, 88, 196.  
 Stokes, Prof., velocity of waves in shallow water, 263.  
 Strangalia, 206, 222; contracta, 206, 223; dulcis, 206, 222; regalis, 206, 223.  
 Strangalomorpha, 206, 221; ænescens, 206, 221; tenuis, 221.  
 Stromatopora, 191.  
 Strombus, act. of wave-curr. on, 268.  
 Stylangia, 44, 46, 68, 195, 204.  
 Stylaræa, 186, 199, 204.  
 Stylasters, true, of Moseley, 8.  
 Stylastræa, 111, 197.  
 Stylina, 40, 109, 197.  
 Stylinacæ, agglomeratæ, 103 and independentes, 70.  
 Stylinoida, 103, 109, 197.  
 Stylocœnia, 122, 197.  
 Stylocora, 73, 196.  
 Stylocyathus, 18, 19, 204.  
 Stylohelia, 45, 195.  
 Stylomæandra, 140, 198.  
 Stylophora, 45, 195.  
 Stylophoridae, 8.  
 Stylophoroida, 44, 195.  
 Stylosmilia, 72.  
 Stylosmilioida, 70, 72, 196.  
 Stylotrochus, 18, 194, 203.  
 Swimming Crabs, wave-curr. on, 269.  
 Sybra fasciata, 462.  
 Sydonia fasciata, 247.  
 Symbranchidæ, 316, 317.  
 Symphyllia, 49, 91, 196; Etheridgii, 92.  
 Symphyllioidea, 83, 91, 196.

- Sympiezocera japonica*, 227.  
*Synapticulæ* defined, 202.  
*Synaræa*, 187, 199.  
*Synastræa*, 138.  
*Synhelia*, 41, 42, 195.  
*Syzygophyllia*, 60, 204.
- Tabulæ of corals defined, 202.  
*Tabuloidea*, 104, 129, 197.  
*Teleiophyllia*, 83, 85, 196.  
 Teleostean fishes, develop. of, 274, 298.  
*Terinæa*, 249; *atrofusca*, 250.  
*Tetracœnia*, 130, 204.  
*Tetropium*, 206; *luridum*, 206, 208.  
*Tetrorea*, 248.  
*Thalamocœnia*, 100, 204.  
*Thamnaræa*, 169, 199.  
*Thamnastræa*, 4, 136, 138, 198.  
*Thamnastroida*, 136, 198.  
*Thamnoseris*, 154, 198; *Froteana*, 154.  
*Thecidæ*, 5.  
*Thecocyathus*, 21, 22, 194, 203.  
*Thecophyllia*, 148.  
*Thecopsammia*, 175, 180, 199.  
*Thecoseris*, 166, 199, 203.  
*Thecosmilia*, 81, 196; *gregaria*, 81.  
*Thecosmilioida*, 80, 196.  
*Thestus*, 240.  
*Thranis*, 226; *variegatus*, 226.  
*Thysanus*, 13, 15, 194.  
*Tiaradendron*, 46, 204.  
*Tichoseris*, 156, 157, 198.  
*Toxotinus*, 206, 213; *longicornis*, 206, 213.  
*Toxotus cœruleipennis*, 211.  
*Trachinus vipera*, G. Brook on, 274.  
 —, development of, 274.  
 —, egg-membranes of, 275.  
 —, egg of, 274.  
 —, egg-segmentation, stages of, 276.  
 —, formation of embryo to closure of blastopore, 280.  
 —, Kupffer's vesicle in, 283.  
 —, closure of blastopore to pulsation of heart, 284.  
 —, pulsation of heart to hatching, 286.  
 —, summary, Brook's obs. on, 288.  
*Trachyphyllia*, 82, 196.  
*Trachypora*, 48, 156, 159, 198.  
*Tragosoma*, 208.  
*Trematotrochus*, 18, 20, 194.  
*Trichogaster*, 312.  
*Tricycloseris*, 149, 204.  
*Tridacophyllia*, 91, 94, 196.
- Trismilia*, 55, 204.  
*Trochareæa*, 167, 203; *actiniformis*, 167.  
*Trochocyathoida*, 21, 194.  
*Trochocyathus*, 21, 22, 24, 194.  
*Trochoserioida*, 147, 198.  
*Trochoseris*, 147, 198.  
*Trochosmilia*, 50, 51, 195.  
*Trochosmilioida*, 50, 195.  
*Tropidocyathus*, 21, 22, 194, 203.  
*Trymohelia*, 41, 43, 195.  
*Turbinaria*, 184, 199.  
*Tubinarioida*, 184, 199.  
*Turbinolia*, 18, 194.  
*Turbinolidæ*, 6, 8, 9, 64, 194; *Gemmanantes*, 9, 33, 194; *Reptantes*, 9, 34, 64, 66, 194; *Simplices*, 9, 194.  
*Turbinoloida*, 18, 194.  
*Turbinoseris*, 148, 198.
- Ulangia*, 68, 195.  
*Ulastræa*, 104, 105, 197, 203.  
*Ulocyathus*, 13, 204.  
*Ulophyllia*, 91, 94, 196.  
*Undaria*, 161, 204.  
*Uræcha augusta*, 240; *bimaculata*, 240; *griseola*, 240.
- Vacti*, distrib. of, 311.  
*Vasilium*, 13, 204.  
*Veneridæ*, mooring-appar. of, 267.  
*Venus*, *casina*, 267; *verrucosa*, 267.  
*Vespidæ*, *Australian*, 325.  
*Vitelline memb. of Trachinus vipera*, 275.
- Wave-Currents, influence of, on fauna of shallow seas, 262.
- Xenicotela*, 235, 242; *fuscula*, 242.  
*Xenophyrama*, 206, 210; *purpureum*, 206, 210.  
*Xyaste*, 261.  
*Xylariopsis*, 247; *mimica*, 247.  
*Xylotrechus*, 207, 229, 231, 234; *albifilis*, 207, 232, 233; *antilope*, 232; *chinensis*, 207, 231; *clarinus*, 207, 231; *decolor*, 232; *emaciatatus*, 207, 231; *Grayi*, 233; *hircus*, 232, 233; *ibex*, 231, 232; *pyrrhoderus*, 233; *rufilius*, 207, 233.
- Zittelofungia*, 149, 150, 193, 198.  
*Zoantharia Sclerodermata*, Prof. Duncan's revision of families and gen., 1, 3, 6.  
*Zona radiata*, egg of *Trachinus*, 275.

END OF THE EIGHTEENTH VOLUME.